

ANNEXE 2 – Tableau de suivi des piézomètres (3 pages)



ESSO Ancienne Raffinerie Bègles Résultats d'analyses suivi mensuel des piézomètres de surveillance

		20/06/2012							25/07/2013							03/09/2013						
		P1	P2A	P2C	P2G	P2I	P2J	P2K	P1	P2A	P2C	P2G	P2I	P2J	P2K	P1	P2A	P2C	P2G	P2I	P2J	P2K
Paramètres globaux / Indices																						
Indice hydrocarbure C10-C40	µg/l	400	230	<50	<50	60	320	<50	190	290	<50	<50	<50	1900	<50	240	1800	<50	<50	<50	630	<50
Hydrocarbures > C10-C12	µg/l	110	90	<50	<50	<50	70	<50	90	100	<50	<50	<50	450	<50	60	400	<50	<50	<50	210	<50
Hydrocarbures > C12-C16	µg/l	150	60	<50	<50	<50	120	<50	<60	80	<50	<50	<50	690	<50	70	740	<50	<50	<50	220	<50
Hydrocarbures > C16-C21	µg/l	70	<50	<50	<50	<50	60	<50	<50	<50	<50	<50	<50	420	<50	<50	390	<50	<50	<50	90	<50
Hydrocarbures > C21-C35	µg/l	60	<50	<50	<50	<50	60	<50	<50	60	<50	<50	<50	320	<50	60	220	<50	<50	<50	90	<50
Hydrocarbures > C35-C40	µg/l	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<100	<50	<50	<100	<50	<50	<50	<50	<50
Indice hydrocarbure (C5-C10)	µg/l	84	940	<50	<50	53	890	3900	79	570	<50	<50	<50	860	3000	380	320	<50	<50	<50	1600	6100
Somme des C5	µg/l	<8	<8	<8	<8	<8	<8	<8	<8	9	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8
Somme des C6	µg/l	24	51	<8	<8	<8	23	<60	<8	36	<8	<8	<8	27	<60	29	10	<8	<8	<8	34	<8
Somme des C7	µg/l	12	350	<8	<8	<8	380	<80	16	220	<8	<8	<8	250	<80	130	100	<8	<8	<8	470	<80
Somme des C8	µg/l	12	340	<8	<8	<8	230	<60	16	180	<8	<8	<8	180	<80	100	120	<8	<8	<8	600	<80
Somme des C9	µg/l	20	130	<8	<8	<8	29	150	27	81	<8	<8	<8	200	3000	61	43	<8	<8	<8	240	6100
Somme des C10	µg/l	16	58	<8	<8	<8	24	110	20	43	<8	<8	<8	200	<60	60	47	<8	<8	<8	270	<60
Eléments																						
Arsenic (As)	µg/l	230	340	87	9	10	280	8	47	41	32	<3	<3	4	<3	310	75	49	<40	2000	260	<40
Plomb (Pb)	µg/l	<10	<10	<10	<10	<10	<10	28	<10	<10	<10	<10	<10	<10	<10	71	<10	<10	<10	<10	<10	20
Benzène et aromatiques (CAV - BTEX)																						
Benzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Toluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
o-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
m-, p-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Mesitylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
o-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
m-, p-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Pseudocumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Somme des CAV	µg/l	<1	<1	<1	<1	<1	<1	<1	<1	1.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

		03/10/2013							17/10/2013							15/11/2013						
		P1	P2A	P2C	P2G	P2I	P2J	P2K	P1	P2A	P2C	P2G	P2I	P2J	P2K	P1	P2A	P2C	P2G	P2I	P2J	P2K
Paramètres globaux / Indices																						
Indice hydrocarbure C10-C40	µg/l	580	1700	80	<50	<50	2800	<50	<50	920	<50	<50	<50	460	<50	<50	17000	60	<50	<50	620	<50
Hydrocarbures > C10-C12	µg/l	60	270	<50	<50	<50	570	<50	<50	160	<50	<50	<50	80	<50	<50	1400	<50	<50	<50	170	<50
Hydrocarbures > C12-C16	µg/l	180	640	<50	<50	<50	1200	<50	<50	330	<50	<50	<50	140	<50	<50	8400	<50	<50	<50	230	<50
Hydrocarbures > C16-C21	µg/l	190	450	<50	<50	<50	620	<50	<50	230	<50	<50	<50	<130	<50	<50	5300	<50	<50	<50	100	<50
Hydrocarbures > C21-C35	µg/l	160	350	<50	<50	<50	430	<50	<50	160	<50	<50	<50	<130	<50	<50	2100	<50	<50	<50	110	<50
Hydrocarbures > C35-C40	µg/l	<50	<100	<50	<50	<50	<250	<50	<50	<50	<50	<50	<50	<130	<50	<50	230	<50	<50	<50	<50	<50
Indice hydrocarbure (C5-C10)	µg/l	74	93	<50	<50	<50	110	5000	<50	580	<50	<50	<50	1800	4600	<50	540	<50	<50	<50	3300	3100
Somme des C5	µg/l	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8	<8
Somme des C6	µg/l	<8	<8	<8	<8	<8	<8	<8	<8	12	<8	<8	<8	<8	<8	<8	48	<8	<8	<8	210	<8
Somme des C7	µg/l	<8	32	<8	<8	<8	31	<60	<8	220	<8	<8	<8	660	<80	<8	240	<8	<8	<8	630	<80
Somme des C8	µg/l	74	28	<8	<8	<8	13	<60	10	200	<8	<8	<8	920	<80	28	120	<8	<8	<8	1300	<80
Somme des C9	µg/l	<8	16	<8	<8	<8	35	5000	<8	93	<8	<8	<8	190	4600	<8	45	<8	<8	<8	540	3100
Somme des C10	µg/l	<8	17	<8	<8	<8	33	<60	<8	45	<8	<8	<8	<8	<80	<8	88	<8	<8	<8	360	<80
Eléments																						
Arsenic (As)	µg/l	110	<50	<50	110	180	120	<50	86	130	29	55	120	250	15	34	110	7.2	79	100	310	<5
Plomb (Pb)	µg/l	<50	<50	<50	<50	<50	<50	<50	<10	<10	<10	<10	<10	18	86	8.7	<5	<5	11	<5	<5	8.2
Benzène et aromatiques (CAV - BTEX)																						
Benzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0												

	11/06/2014						07/07/2014						13/08/2014									
	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	
Paramètres globaux / Indices																						
Indice hydrocarbure C10-C40	µg/l	<50	120	<50	<50	<50	440	<50	130	230	<100	<100	<100	220	<100	440	310	70	<50	<50	760	<50
Hydrocarbures > C10-C12	µg/l	<50	<50	<50	<50	<50	160	<50	50	110	<100	<100	<100	<100	<100	110	130	<50	<50	<50	180	<50
Hydrocarbures > C12-C16	µg/l	<50	<50	<50	<50	<50	70	<50	<50	60	<100	<100	<100	<100	<100	140	50	<50	<50	<50	300	<50
Hydrocarbures > C16-C21	µg/l	<50	<50	<50	<50	<50	70	<50	<50	<50	<100	<100	<100	<100	<100	<100	<50	<50	<50	<50	150	<50
Hydrocarbures > C21-C35	µg/l	<50	<50	<50	<50	<50	80	<50	<50	<50	<100	<100	<100	<100	<100	<100	50	<50	<50	<50	100	<50
Hydrocarbures > C35-C40	µg/l	<50	<50	<50	<50	<50	<50	<50	<50	<50	<100	<100	<100	<100	<100	<100	<50	<50	<50	<50	<50	<50
Indice hydrocarbure (C5-C10)	µg/l	60	110	<50	<50	<50	94	2900	600	1300	<50	<50	<50	260	2700	330	810	<50	<50	<50	470	2800
Somme des C5	µg/l	<6	<6	<6	<6	<6	<6	<60	<6	<10	<6	<6	<6	<6	<60	<6	<6	<6	<6	<6	<6	<60
Somme des C6	µg/l	<6	<6	<6	<6	<6	<6	<60	<6	22	<6	<6	<6	<6	<60	<6	10	<6	<6	<6	<6	<60
Somme des C7	µg/l	<6	37	<6	<6	<6	<6	<60	<6	120	<6	<6	<6	93	<60	93	230	<6	<6	<6	130	<60
Somme des C8	µg/l	60	19	<6	<6	<6	9	<60	190	630	<6	<6	<6	87	<60	92	360	<6	<6	<6	100	<60
Somme des C9	µg/l	<6	27	<6	<6	<6	23	2900	190	280	<6	<6	<6	41	2700	93	150	<6	<6	<6	140	2800
Somme des C10	µg/l	<6	27	<6	<6	<6	62	<60	100	120	<6	<6	<6	37	<60	52	63	<6	<6	<6	95	<60
Eléments																						
Arsenic (As)	µg/l	7	6	19	<3	<3	5	<3	<3	68	17	<3	3	12	<3	3	42	19	<3	<3	9	<3
Plomb (Pb)	µg/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Benzène et aromatiques (CAV - BTEX)																						
Benzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Toluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Ethylbenzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
o-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
m- p-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Cumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	2.7	<0.5	<0.5	<0.5	<0.5	<5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Mesitylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
o-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
m- p-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Pseudocumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Somme des CAV	µg/l	-/-	-/-	-/-	-/-	-/-	-/-	3.2	-/-	-/-	-/-	-/-	-/-	-/-	0.6	-/-	-/-	-/-	-/-	-/-	-/-	-/-

	15/09/2014							13/10/2014							13/11/2014							
	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	
Paramètres globaux / Indices																						
Indice hydrocarbure C10-C40	µg/l	160	260	<50	<50	<50	430	<50	180	190	130	<50	<50	580	<50	<100	140	80	<50	<100	550	<100
Hydrocarbures > C10-C12	µg/l	60	90	<50	<50	<50	140	<50	<50	<50	<50	<50	<50	110	<50	<100	<50	<50	<100	130	<100	
Hydrocarbures > C12-C16	µg/l	<50	90	<50	<50	<50	150	<50	<50	50	<50	<50	<50	230	<50	<100	<50	<50	<100	210	<100	
Hydrocarbures > C16-C21	µg/l	<50	<50	<50	<50	<50	60	<50	<50	<50	<50	<50	<50	110	<50	<100	<50	<50	<100	110	<100	
Hydrocarbures > C21-C35	µg/l	<50	<50	<50	<50	<50	60	<50	60	60	70	<50	<50	100	<50	<100	<50	<50	<100	110	<100	
Hydrocarbures > C35-C40	µg/l	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<100	<50	<50	<100	<100	<100	
Indice hydrocarbure (C5-C10)	µg/l	670	760	<50	<50	<50	470	2800							820	1000	<50	<50	<50	1200	2100	
Somme des C5	µg/l	<6	<6	<6	<6	<6	<6	<60	Pas d'analyses, commande SERPOL pas assez détaillée							<6	<6	<6	<6	<6	<6	<6
Somme des C6	µg/l	17	<6	<6	<6	<6	<6	<60								64	57	<6	<6	<6	52	<60
Somme des C7	µg/l	180	220	<6	<6	<6	130	<60								220	350	<6	<6	<6	460	18
Somme des C8	µg/l	160	300	<6	<6	<6	100	<60								160	410	<6	<6	<6	450	<6
Somme des C9	µg/l	170	160	<6	<6	<6	140	2800								81	130	<6	<6	<6	140	2100
Somme des C10	µg/l	120	77	<6	<6	<6	95	<60							90	74	<6	<6	<6	110	<60	
Éléments																						
Arsenic (As)	µg/l	<3	<3	19	<3	<3	9	<3	30	9	8	<3	<3	46	<3	5	60	12	11	6	31	<3
Plomb (Pb)	µg/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Benzène et aromatiques (CAV - BTEX)																						
Benzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Toluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Ethylbenzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
o-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
m- p-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Cumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	1.9	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.1	1	<0.5	<0.5	0.7	<0.5	
Méthylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
o-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
m- p-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Pseudocumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Somme des CAV	µg/l	-/-	-/-	-/-	-/-	-/-	-/-	-/-	1.9	-/-	-/-	-/-	-/-	-/-	-/-	3.1	1	-/-	-/-	-/-	0.7	-/-

	08/12/2014							06/01/2015							13/02/2015							
Parametres globaux / Indices	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	P1	PzA	PzC	PzG	PzI	PzJ	PzK	
Indice hydrocarbure C10-C40	µg/l	100	360	190	<50	<50	950	80	160	260	<50	<50	<100	3400	<50	<50	570000	90	<50	<50	610	<50
Hydrocarbures > C10-C12	µg/l	<50	90	<50	<50	<50	250	<50	50	<100	<50	<50	<100	660	<50	<50	25000	<40	<50	<50	230	<50
Hydrocarbures > C12-C16	µg/l	<50	110	<50	<50	<50	370	<50	<50	<100	<50	<50	<100	1400	<50	<50	260000	<50	<50	<50	230	<50
Hydrocarbures > C16-C21	µg/l	<50	60	<50	<50	<50	160	<50	<50	<100	<50	<50	<100	760	<50	<50	160000	<50	<50	<50	110	<50
Hydrocarbures > C21-C35	µg/l	<50	90	120	<50	<50	120	<50	<50	<100	<50	<50	<100	420	<50	<50	65000	60	<50	<50	80	<50
Hydrocarbures > C35-C40	µg/l	<50	<50	<50	<50	<50	<50	<50	<100	<50	<50	<100	<200	<50	<50	<50000	50	<50	<50	<50	<50	
Indice hydrocarbure (C5-C10)	µg/l	120	810	<50	<50	<50	1400	4500	1100	1400	<50	<50	<50	2100	3000	<50	2100	<50	<50	<50	1700	3000
Somme des C5	µg/l	<8	<8	<8	<8	<8	<80	<90	19	<8	<8	<8	<80	<80	<8	<16	<8	<8	<8	<8	<80	<80
Somme des C6	µg/l	<8	19	<8	<8	<8	<60	<60	54	35	<8	<8	<80	<80	<8	<16	<8	<8	<8	<8	<80	<80
Somme des C7	µg/l	20	240	<8	<8	<8	360	<60	300	370	<8	<8	<80	<80	<8	130	<8	<8	<8	<8	460	<80
Somme des C8	µg/l	26	290	<8	<8	<8	550	<60	310	530	<8	<8	<80	<80	<8	460	<8	<8	<8	<8	650	<80
Somme des C9	µg/l	31	170	<8	<8	<8	280	4500	250	280	<8	<8	<8	400	3000	<8	530	<8	<8	<8	330	3000
Somme des C10	µg/l	46	93	<8	<8	<8	240	<90	130	160	<8	<8	<8	260	<80	<8	940	<8	<8	<8	220	<80
Eléments																						
Arsenic (As)	µg/l	9	11	10	10	4	48	<3	850	330	24	160	280	360	<10	160	120	49	26	83	75	<10
Plomb (Pb)	µg/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	11	12	<10	<10	<10	<10	<10	<10	
Benzène et aromatiques (CAV - BTEX)																						
Benzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Toluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Ethylbenzène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
o-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
m- p-Xylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Styrène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	0.6	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Mésitylène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
p-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	1.3	<0.5	<0.5	<0.5	<5	<5	
m- p-Ethyltoluène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Pseudocumène	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<1	<0.5	<0.5	<0.5	<5	<5	
Somme des CAV	µg/l	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	2.3	-	-	-	-	

[illegible]